



PC Expansion

M.2 NVMe SSD Accessories | Card Reader & Hub | 5.25" Panel | 3.5" Panel PCIe Panel | Internal USB cable | Fan cables | PSU cable



External Storage

















- · Conversion with speed
- Built to protect
- Wide M.2 compatibility
- Plug and play

Product Code: AK-EN2SM2-BK















- Experience incredible transmission speeds of up to 20Gbps
- · Portable stylish premium aluminium finish
- Designed for common NVMe SSDs
- Tool free plug and play

Product Code: AK-ENU3M2-07

















Portable M.2 SATA / **NVMe SSD to USB 10Gbps Aluminium Enclosure**

- Stylish premium aluminium finish
- Experience incredible transmission speeds of up to 10 Gbps
- Complies with USB Attached SCSI Protocol (UASP) for faster read/write data speeds to and from storage devices
- Backwards compatible with USB 5Gbps and USB 2.0

Product Code: AK-ENU3M2-05



















M.2 SATA / NVMe SSD to USB 10Gbps **Aluminium Enclosure**

- · Stylish premium aluminium finish
- Complies with USB Attached SCSI
- Protocol (UASP) specification
- SuperSpeed USB 10 Gbps connection for ultra-fast data transfer
- Backwards compatible with USB 5Gbps

Product Code: AK-ENU3M2-04













USB 10Gbps Ultra Slim Aluminium Enclosure for M.2 PCIe NVMe SSD

- · Premium aluminium alloy with brushed finish
- Ultra slim, portable design
- Up to USB 10Gbps connection
- Includes 2 thermal pads for added heat dissipation
- Easy assembly
- · Backwards compatible with USB 5Gbps

Product Code: AK-ENU3M2-03











DuoDock MX20

USB 20Gbps Dual M.2 PCIe NVMe SSD Docking Station with Offine Clone

- · Superfast data transfer rate
- Easy offline cloning
- · Convenient plug and play
- Efficient built-in ultra-thin fan • Size of 93 x 93 x 132 mm

Product Code: AK-DK09U3-WHCMV3

System Cooling



M.2 SSD Heatsink

Passive cooling for M.2 NVMe PCIe & SATA drives

- Easy installation
- Designed for M.2 2280 SSD
 Self-adhesive thermal tape
- Fully aluminium
- Single or 2 pack options

Product Code: A-M2HS01-BK (single pack) A-M2HS01-KT02 (2 pack)









Easy installation



Gecko Pro

Passive cooling for M.2 NVMe PCIe & SATA drives

- Smart fin design
- Superior mounting
- Suitable for any M.2 SSD thickness
- · Outstanding thermal pad

Product Code: A-M2HS02-BK










Gecko Turbo Cooler

Superior cooling for M.2 NVMe PCIe & SATA drives in Desktop Computers

- Active cooler for M.2 PCIe NVMe SSDs
- · Aluminium heatsink for fast heat absorption
- Turbo blower fan to move max air
- Sleek black aesthetics

Product Code: A-M2HS03-BK













Gecko Pro LX

Active low profile M.2 PCle cooler for smaller desktop cases

- Unique side blower
- Enhanced cooling efficiency
- Ultra compact SSD cooler
- Aluminium heat sink

Product Code: A-M2HS04-BK

For Fan M.2 2280 SSD 20x8.55mm









Dual Thermal Pad

Internal Storage



PROSLIM Super slim SATA cable

- · Ideal for motherboards with stacked SATA connectors
- SATA revision 3.0 supporting 1.5 / 3.0 and 6.0 Gb/s data transfer
- Backwards compatible with SATA I and II
- SATA 7pin to SATA 7pin with securing latches
- Shielded construction for signal integrity
- Size: 15/30/50 cm
- · Colour: Blue / Black

Product Code: AK-CBSA05-15/30/50BL AK-CBSA05-15/30/50BK



M.2 SSD to PCle adapter card with heatsink cooler

- M.2 PCle 3.0 x4 NVMe to PCle x4 host adapter
- · PCB exposed copper coupled with an additional heatsink design - reduces SSD heat and enhances performance

Product Code: AK-PCCM2P-02



M.2 SSD to PCIe **Adapter Card with Heatsink Cooler**

- M.2 PCle NVMe Gen 3 x4 to x16 pinout host adapter
- · Low profile 31mm height, fits in a 1U chassis

Product Code: AK-PCCM2P-05



3.5" Internal **Device/SSD/HDD Adapter with SATA Cables**

- Mounting adapter allows a 3.5" internal device, 3.5" HDD or 2.5" SSD/HDD to fit into a 5.25" PC drive bay
- · Includes SATA cables for easy installation

Product Code: AK-HDA-12



2.5" SSD & HDD **Adapter with SATA Cables**

- Mounting adapter allows a 2.5" SSD or HDD to fit into a 3.5" PC drive bay
- Includes SATA cables for easy installation

Product Code: AK-HDA-11



PROSLIM Super slim SATA III right angle cable

- Transfer speeds up to 6Gb/s
- \bullet Backwards compatible with SATA 1 and 2
- · Right angle connector with latch
- Flexible and easy
- Size: 50 / 100 cm

Product Code: AK-CBSA09-05BK AK-CBSA09-10BK









USB 10Gbps Type-C 4-In-1 Hub

- Features 4 x USB Type-C 10Gbps ports
- Compact versatile design
- · Comes with a protective carrying pouch

Product Code: AK-CBCA32-18BK















Connect7 IPS

7-Port USB Hub with **Individual Switches**

- Maximise available USB ports and save valuable desktop space
- Convenient individual switch and LED light for each port
- Connect up to seven USB devices
- Plug & Play, Hot Swappable

Product Code: AK-HB-21BKCM



(Connect4C 4-In-1) 4 ports USB 2.0 HUB

- · Ultra compact modern design
- Connect up to four USB 2.0 devices
- Plug & Play, Hot Swappable

Product Code: AK-HB-19BK





(Connect 4SX) 4 Port USB 5Gbps Hub

• Plug and Play

- USB bus powered supporting 1 TB external hard drive and 3 USB flash drives simultaneously
- USB 5Gbps port backward compatible with USB 2.0

Product Code: AK-HB-08BK







Plug & Play

External Smart Card Reader

- ID and smart card compatible
- Black or white available
- Plug-and-Play
- USB powered
- Compatible with Microsoft USB-CCID driver
- Available in Black or White editions

Product Code: AK-CR-03BKV2 (Black) AK-CR-03WHV2 (White)
















2-In-1 **USB 5Gbps OTG Dual Card Reader**

- Super speed transmission
- Wide compatibility
- Dual duty
- Designed to last

Product Code: AK-CR-12



Internal 1-to-4 USB 2.0 **Splitter Hub Cable**

- Easily expand a single USB 2.0 9-pin header into four USB 2.0 9-pin headers
- · Adhesive tape attachment offers easy installation

Product Code: AK-CBUB64-30BK



USB 5Gbps 19-Pin Internal Extension Cable with Low-Profile Connector

- Length: 15 cm
- · Easily extends a 19-pin cable or device in tight-fitting environments

Product Code: AK-CBUB45-15BK

5.25" Panel































(InterConnect GX)

USB 10Gbps Type-C Panel and USB Ports

- Brushed aluminium fascia panel
- Data transfer rate up to 10Gbps
- Backwards compatible with USB 5Gbps and USB 2.0

Product Code: AK-HC-11BK

(InterConnect EF)

USB 5Gbps Card Reader and **Hub with Fan Controller**

- Brushed aluminum fascia panel
- 5-slot USB 5Gbps card reader
- 20W available for each fan control channel
- Two channels fan controller
- 3-pin / 4-pin PWM fan connector compatible
- USB charging port provide up to 2.4A
- Charging port support smart phone or tablet fast charging

 High performance USB fast charging
- controller provide auto detect and charging Meet USB battery charging specification

Product Code: AK-HC-08BK

(InterConnect EX)

USB 5Gbps Card Reader and Hub with Smart Card Reader

- Brushed aluminum fascia panel
- 5-slot USB 5Gbps card reader
- 4-port USB 5Gbps Hub
- USB 2.0 electronic ID and smart card reader.
- Two USB charging port provide up to 2.4A
- Charging port support smart phone or tablet fast charging
- · High performance USB fast charging controller provide auto detect and charging
- Meet USB battery charging specification
 Compatible with Microsoft USB-CCID driver

Product Code: AK-HC-07BK

































- Easy mounting to an available front 3.5" PC bay
- USB 20Gbps and USB 5Gbps connections
- Backwards compatible with USB 10Gbps, USB 5Gbps and USB 2.0

Product Code: AK-ICR-36

USB 10Gbps Type-C Panel with Multi-Card Reader

- Read most popular memory cards from one convenient location
- Simultaneously access up to 4 different cards at once, allowing cross format data transfer
- USB 10Gbps Type-C and USB 5Gbps Type-A ports for extra connectivity
- USB 5Gbps port backwards compatible with USB 2.0

Product Code: AK-ICR-33

4 Port USB Charger Panel with Dual Quick Charge 3.0 and Dual USB 5Gbps Ports

- Dual QC 3.0 fast charging ports with each port supporting up to 18W
- Fits in PC 3.5" bay
- · Broad compatibility

Product Code: AK-ICR-34











Internal 3.5" Front Panel for VR

- Up to USB 5Gbps connection
- USB 5Gbps ports are backwards compatible with USB 2.0
- $\dot{\bullet}$ Front HDMI port for easy extension

Product Code: AK-ICR-30



Internal 3.5" **Multi Function Panel**

- Replacement for existing power and reset button
- · High quality AUDIO I/O port for optimal signal transfer
- · Additional USB port for extra connectivity

Product Code: AK-ICR-29



USB 5Gbps Multi Card Reader

- Supports SDHC / SDXC and new UHS-II standard
- · Four card-slots are active at the same time, allowing cross format data transfer
- USB 5Gbps data read and write
- USB 5Gbps port backwardly compatible with USB 2.0

Product Code: AK-ICR-27





- Up to USB 10Gbps data transfer rate
- Expand your system with 2 Type-C and 3 Type-A connectors
- Fast Charging
- Fits in PCle x4, x8 and x16 slot

Product Code: AK-PCCU3-09



UASP







USB 20Gbps Internal 20-pin Connector to PCIe Host Card

- Easily add or upgrade your PC with an internal USB 20Gbps 20-pin Key-A port for connectivity of a Type-C port with a PCI Express (PCIe) host card
- PCle 3.0 x4 card fits easily in PCle x4, x8 and x16 slots
- · Built-in SATA power connector for receiving extra power supply from the system
- Includes optional low profile slot cover for supporting low profile cases

Product Code: AK-PCCU3-08











Low Profile PCI Bracket Cable with USB 10Gbps Type-C

- USB 10Gbps Type-C internal connector
- Low profile height: 8 cm
- · Length: 50 cm

Product Code: AK-CBUB37-50L









USB 20Gbps Type-C to PCIe Host Card

- Up to USB 20Gbps data transfer rate
- Reversible Type-C Connector
- Supports slim systems with optional low-profile slot cover
- Fits in PCIe x4. x8 and x16 slot

Product Code: AK-PCCU3-07











USB 10Gbps Internal 20-pin Connector to PCI Express Expansion Card

- Compliant with PCle Gen3 x2 Lane performance
- Complies with UASP specification
- Built-in SATA power connector for receiving extra power supply from the system
- Includes optional low profile slot cover for supporting low profile cases

Product Code: AK-PCCU3-06

PCIe

Profile

10_{Gbps}

USB 5Gbps Internal Adapter Cable with Dual USB 2.0 Type-A Ports

- Expand connectivity to any available PCI bracket slot
- · Easily convert an USB 5Gbps motherboard header and an USB 2.0 header into a USB Type-C port and dual USB 2.0 Type-A ports
- · Robust steel bracket for added durability



USB 10Gbps Internal Adapter Cable with Dual USB 5Gbps Type-A ports

- Expand connectivity to any available PCI bracket slot
- Easily convert an USB 10Gbps motherboard header and an USB 5Gbps header into a USB Type-C port and dual USB 5Gbps Type-A ports
- · Robust steel bracket for added durability

Product Code: AK-CBUB53-40BK





2.5 Gigabit **PCIe Network Card**

- Multi-Gigabit Ethernet connectivity supporting 2.5Gbps and 1Gbps. Backwards compatible with 100Mbps and 10Mbps.
- RJ45 Ethernet port
- Fully Compliant with IEEE 802.3, IEEE 802.3u and IEEE 802.3ab standards
- Fits in PCIe x1, x4, x8 and x16 slot
- Supports slim systems with optional low-profile slot cover

Product Code: AK-PCCE25-01



Type-C to 2.5G **Ethernet Adapter**

- Super-Fast 2.5Gbps Ethernet Speed
- Portable Design
- Plug and Play
- Protective Carrying Pouch
- Length: 15cm


Product Code: AK-CBCA29-15BK



2.5 Gigabit PCle **Network Card with PoE**

- Multi-Gigabit Ethernet with PoE
- Better cable management
- · Wide compatibility
- Integrated SATA connector
- Functional design

Product Code: AK-PCCE25-02





Synchronous Power Supply Adapter Board

- For dual PSU start-up or shutdown
- Easy and quick setup
- Efficient small footprint
- Non-heat generating
- Convenient plug and play

Product Code: AK-CBPW28-KT02













PCIe Riser Adapter Card for **GPU** Mining

- Perfect for GPU mining rigs from open rig frame to rack rigs to ensure effective clearance and cooling when running multiple GPUs
- Suitable with 1x, 4x, 8x & 16x PCle slots on mother boards
- Three power plug options
- Hi-quality capacitors

Product Code: AK-CBPW26-KT06

ATX 24-Pin Male to **Dual ATX 24-Pin Female**

- 24-Pin (20+4) male connector to dual 24-pin female connectors
- · Easily connect two PSU to your system
- · Heavy duty 18 AWG
- 300mm length

Product Code: AK-CBPW25-KT02






PCIe 8-Pin to Dual PCle (6+2)-Pin **Splitter Cable**

- PCIe 8-Pin female connector to dual PCIe 8-pin (6+2) male connectors
- Value option of upgrading a computer Power Supply Unit (PSU)
- Heavy duty 18 AWG rating
- 240mm length

Product Code: AK-CBPW24-KT06



Riser Black X2 Mark IV

Premium PCle 4.0 x16 Riser Cable - 200mm

- Premium riser cable for high-end graphics cards
- Powerful EMI shielding and high-speed bandwidth
- Super-thin 7-wire banded ribbon design provides clean installation and ensures maximum flexibility

Product Code: AK-CBPE03-20B

Bandwidth







Riser Black X2 / X3 / XL

Premium PCle 3.0 x16 Riser Cable - 200mm / 300mm / 1000mm

- Premium riser cable for high-end graphics cards
- Powerful EMI shielding and high-speed bandwidth
- Super-thin 10-wire banded ribbon design provides clean installation and ensures maximum flexibility
- PCIe 3.0 x16 Standard

Product Code: AK-CBPE01-20B / AK-CBPE01-30B / AK-CBPE01-100B









Vertical GPU Holder with Premium PCIe 3.0 Riser Cable

- Super-thin 5-wire banded ribbon design provides clean installation and ensures maximum flexibility
- Easy installation and discrete aesthetics
- Premium riser cable for high-end graphics cards

Product Code: AK-CBPE02-20B












G-Nexus P16 90 Degree 12VHPWR Adapter

- 12+4-pin to 12+4-pin
- 90 degree connection
- Supports up to 600W
- · Compact and aesthetic design

Product Code: AK-CBPW29-BK



G-Nexus P24

90 Degree 12VHPWR 12+4-Pin to three 8-Pin Adapter

- 12+4-pin to three 8-pin
- 90 degree connection
- Supports up to 600W
- · Compact and aesthetic design

Product Code: AK-CBPW30-BK



G-Nexus PX24

90 Degree 12VHPWR 12+4-Pin to three 8-Pin Cable

- 12+4-pin to three 8-pin
- 90 degree connection
- Supports up to 600W
- · Compact and aesthetic design

Product Code: AK-CBPW31-30BK



G-Nexus PX16 90 Degree 12VHPWR Cable

- 12+4-pin to 12+4-pin extension cable
- 90 degree connection
- Supports up to 600W
- · Compact and aesthetic design

Product Code: AK-CBPW32-30BK





(FLEXA P24) 24-Pin ATX PSU **Extension Cable**

- 24-Pin ATX PSU extension cable
- Motherboard power connector 24-pin female to 24-pin male (20+4)
- · Length: 40cm

Product Code: AK-CBPW06-40BK



(FLEXA P8) 8-Pin ATX PSU **40cm Extension** Cable

- 40cm ATX 12V power cable extension
- 8-pin female to 8-pin (Splits 4+4) male connectors
- · Black mesh sleeve

Product Code: AK-CBPW08-40BK



FLEXA V8 8-Pin VGA Power **40cm Extension**

- 40cm 8-pin VGA power cable extension
- 8-pin female to 8-pin (Splits 6+2) male connectors
- · Black mesh sleeve

Product Code: AK-CBPW09-40BK



PCIe 12-Pin to **Dual 8-Pin Adapter Cable**

- Maximum compatibility
- 30cm cable length
- Flexible management
- · High quality 18 AWG cable


Product Code: AK-CBPW27-30BK



8-Pin to 8+4 Pin **Power Adapter Cable**

- Conveniently convert ATX PSU 8 pin to ATX motherboard 8+4 pin connector
- More power supply connecting flexibility
- · Length: 15cm

Product Code: AK-CBPW22-15





FLEXA FP10H 1-To-10 PWM Hub

- Connect up to 10 PWM devices
- Reduced cable clutter
- · Easy mounting
- Powered directly from the power supply

Product Code: AK-CBFA09-50



PWM Fan Extension Cable

- Wide compatibility
- 30cm extension
- Stylish protective black sleeve
- Available in 1 or 4 pack

Product Code: AK-CBFA01-30 AK-CBFA01-KT04









FLEXA FP5H **Splitter Hub Cable**

- Greater connectivity
- Black sleeve braided cable
- · User-friendly design
- Compact design

Product Code: AK-CBFA08-30BK AK-CBFA08-KT02



PWM Fan Splitter

- Supports 2 PWM fans from a single motherboard PWM header
- Black braided cable
- · Length: 15cm

Product Code: AK-CBFA04-15



PROSLIM 8K DisplayPort Cable Perfect for tight fitting spaces

- DisplayPort 1.4 compliant
- Slim, flexible & durable design
- Max resolution: 8K@60Hz, 5K@60Hz, 4K@144Hz
- Secure locking latches
- Supports HBR3 with bandwidths of up to 32.4Gbps
- · Length:2m

Product Code: AK-CBDP26-20BK









DisplayPort x2

8K@60Hz Ø Slim Diameter



8K DisplayPort to DisplayPort Cable

- · Easily connect a DisplayPort 1.4 compliant device to a 8K DisplayPort display
- Max resolution: 8K@60Hz, 5K@60Hz, 4K@144Hz
- · Length: 2m

Product Code: AK-CBDP21-20BK



DisplayPort x2



8K DisplayPort to DisplayPort Cable with Premium Housing

- Easily connect a DisplayPort 1.4 compliant device to a 8K DisplayPort display
- Max resolution: 8K@60Hz, 5K@60Hz, 4K@144Hz
- Premium aluminium housing
- Length: 2m

Product Code: AK-CBDP24-20BK



DisplayPort x2



8K Ultra High Speed HDMI™ cable

- Max resolution: 8K@60Hz as specified in HDMI 2.1
- 24K gold-plated connectors preserve signal integrity
- Fast-action detail with Dynamic HDR support
- · Length: 1m & 2m available

Product Code: AK-CBHD19-10/20BK



HDMI x2

For Further Information Please Contact



UK & Europe

+44 (0)20 8578 0055

sales@akasa.co.uk www.akasa.co.uk www.akasa.biz

Akasa (Europe) Ltd Unit 31, Metropolitan Centre, Taunton Road, Greenford, London. UB6 8UQ, United Kingdom

Asia Pacific & USA

+886 (0) 2 2999 6289

sales@akasa.com.tw www.akasa.com.tw www.akasa.biz

Akasa (Asia) Corp. 13F.-5, No.260, Sec.2, New Taipei Blvd., Sanchong Dist., New Taipei City 24158, Taiwan (R.O.C.)

Brasil

+55 | | 3277 4040 Computer Accessories +55 | | 3208 2708

comercial@akasa.com.br www.akasa.com.br www.akasa.biz

Av Conselheiro Furtado I 245 Liberdade 0 I 5 I I -00 I Sao Paulo SP Brasil

Holland & EU

euinfo@akasa-europe.com www.akasa.biz

Akasa Holland B.V. 5684 PX, Best, De Donge 17, The Netherlands

China

+86 769 8698 9899

sales@akasa.com.cn www.akasa.com.tw www.akasa.biz

Dachi Metal and Electronics Ltd No. 39, Song Gang 2nd Street, Qing Xi Town, Dong Guan City, Guang Dong Province, China







Digital Brochure